

Geodimeter Total Station Specifications by Model

Model	Ang Deg sec	Ang mgon	mean mm	mean ppm	Range m	Weight kg	Motor	Auto	Year
Geodimeter 400CD	3	1	5	3	1600	7.9	.	.	.
Geodimeter 420	3	0.6	5	5			.	.	.
Geodimeter 440	1	0.4	3	3	2500	7.9	.	.	1987
Geodimeter 408	5	1.5	5	3	1000	7.9	.	.	1989
Geodimeter 412	3	1	5	3	1700	7.9	.	.	1989
Geodimeter 422LR	2	0.6	5	3	3600	7.9	.	.	1989
Geodimeter 444	1	0.3	2	3	3600	7.9	.	.	1989
Geodimeter 424	2	0.6	3	3	2300	7.9	.	.	1990
Geodimeter 460	2	0.6	3	3	2500	9.5	on	.	1990
Geodimeter 4000	2	0.6	3	3	2300	8.6	on	on	1990
Geodimeter 422	2	0.6	3	3	2500	7.9	.	.	1991
Geodimeter 440LR	1	0.4	3	3	3600	7.9	.	.	1991
Geodimeter 510A	3	1	3	3	1200	6.5	.	.	1992
Geodimeter 520A	2	0.6	3	3	1200	6.5	.	.	1992
Geodimeter 540A	1	0.3	3	2	2000	7.4	on	.	1992
Geodimeter 4002	2	0.6	3	3	2300	8.5	on	on	1992
Geodimeter 510N	3	1	3	3	1200	6.5	.	.	1992
Geodimeter 520N	2	0.6	3	3	1200	6.5	.	.	1992
Geodimeter 540N	1	0.3	3	2	2000	7.4	on	.	1992
Geodimeter 406	6	2	5	5	1800	7.4	.	.	1993
Geodimeter 610	3	1	3	2	1800	9.9	on	on	1994
Geodimeter 620	2	0.6	3	2	1200	9.9	on	on	1994
Geodimeter 640	1	0.3	3	2		9.9	on	on	1994
Geodimeter 610S	3	1	3	2	1200	8.7	on	on	1994
Geodimeter 620S	2	0.5	3	2	1800	8.7	on	on	1994
Geodimeter 640S	1	0.3	3	2	2500	8.7	on	on	1994
Geodimeter 610M	3	1	3	2	1500	7.3	.	.	1994
Geodimeter 620M	2	0.5	3	2	1500	7.3	.	.	1994
Geodimeter 640M	1	0.3	3	2	1500	7.3	.	.	1994
Geodimeter 600S	1	0.3	2	2	1200	7.5	on	.	1994
Geodimeter 504	6	2	5	5	1200	6.5	.	.	1994
Geodimeter 506	6	2	5	5	1600	7.4	.	.	1994
Geodimeter 506B	5	1.5	5	5	1600	7.4	.	.	1996
Geodimeter 600M	1	0.3	2	2	1200	7.5	.	.	1996
Geodimeter 404	6	2	5	5	1800	6.7	.	.	1997
Geodimeter 406	6	2	5	5	1800	6.7	.	.	1997
Geodimeter 4400	2	0.6	5	5	2300	9.4	on	on	1997
Geodimeter 468DR	2	0.6	5	5	200	9.7	on	.	1997
Geodimeter 608S	5	1.5	3	3	1200	8.5	on	on	1997
Geodimeter 608M	5	1.5	3	3	1200	8.5	.	.	1997
Geodimeter 100	5	1.5	5	3	900	6.9	.	.	1997
Geodimeter 606	1997
Geodimeter Bergstrand	1	0.3	1	1	2800	9.5	on	on	1997
Geodimeter 650	1	0.3	1	1	1500		on	.	1997
Geodimeter 650M	1	0.3	1	1	1500	6.2	.	.	1998
Geodimeter 650SP	1	0.3	1	1	1500	7.4	on	on	1998
Geodimeter 640SP	1	0.3	2	2	1500	7.4	on	on	1998
Geodimeter 620SP	2	0.5	2	2	1500	7.4	on	on	1998
Geodimeter 610SP	3	1	2	2	1500	7.4	on	on	1998
Spectra Const50	5	1.5	5	3	1300	3.5	.	.	2000
Geodimeter 608S Pro	5	1.5	3	3	1200	8.4	on	on	2000
Geodimeter 650S DR200+	1	0.3	1	1	5500	7.4	on	on	2000
Geodimeter 640S DR200+	1	0.3	2	2	5500	7.4	on	on	2000
Geodimeter 620S DR200+	2	0.5	3	3	5500	7.4	on	on	2000
Geodimeter 610S DR200+	3	1	3	3	5500	7.4	on	on	2000
Trimble 3305	5	1.5	5	3	1300	3.5	.	.	2001
Trimble 3303	3	1	3	3	1500	3.5	.	.	2001
Trimble 3602	2	0.7	2	2	2500	6.7	.	.	2001
Trimble 3603	3	1	2	2	2500	6.7	.	.	2001
Trimble 3602 DR	2	0.7	3	2	2500	6.7	.	.	2001
Trimble 3603 DR	3	1	3	2	2500	6.7	.	.	2001
Trimble 5601	1	0.3	1	1	2500	7.4	on	on	2001
Trimble 5602	2	0.5	2	2	2000	7.4	on	on	2001
Trimble 5603	3	1	2	2	2500	7.4	on	on	2001
Trimble 5605	5	1.5	3	3	2000	7.4	on	on	2001
Trimble 5601 DR200+	1	0.3	3	3	5500	7.4	on	on	2001
Trimble 5602 DR200+	2	0.5	3	3	5500	7.4	on	on	2001
Trimble 5603 DR200+	3	1	3	3	5500	7.4	on	on	2001
Trimble 5605 DR200+	5	1.5	3	3	5500	7.4	on	on	2001